

Flatbed Trailers



24' Ruff Neck - 10K Dually
20' Deck - 4' Dovetail



25' Straight Neck Flatbed
20' Deck - 5' Combo Tail

6' Wide Glide Flatbed • Backends


Diamond Plate Deck gives you more hauling capacity



6' Tail with 6' Ramps
Shown with ramp in load position



5' Combo



5' Combo Dovetail
Shown with ramps at stand-up position

Rearview 5' Combo Dovetail
Center section shown in down position
ramps & dovetail are spring assist



Shown in platform position

4' Dovetail


4' Dovetail
Shown in up position



Rearview 4' Dovetail
Shown in down position
with 2 slide-in ramps

6' Combo

6' Combo
with 32" wide Ramps
and 32" Dovetail



Heavy Duty Flatbeds Standard and
Optional Features Tandem Tandem Dually

Straight Neck	Std	Std
Ruff Neck	Option	Option
7000# Torsion	Std	
7200# Torsion	Option	
8000# Torsion	Option	
Spring Axles Available in all sizes	Option	Std
9000# Tandem Dually Oil Bath	Option	
10,000# Gen Duty Tandem Dually Oil Bath	Std	
10,000# Gen Duty Tandem Dually Oil Bath Torsion	Option	
10,000# Heavy Duty Tandem Dually Oil Bath	Option	
12,000# Tandem Dually Oil Bath 10,000# Coupler	Option	
Brakes Size 7000#	12" x 2"	
Brakes Size 7200#	12 1/4" x 2 1/2"	
Brakes Size 8000#	12 1/4" x 3 3/8"	
Brakes Size 9000# & 10,000# Gen Duty	13 1/4" x 3 3/8"	
Brakes Size 10,000# Heavy Duty	13 1/4" x 4"	
Brakes Size 12,000#	13 1/4" x 5"	
Double Drop Leg Jack Dual Pin		
Spring Loaded 12,500# Rating	Option	Std
2-Speed Drop Leg Jack	Option	Option
Double 2-Speed Drop Leg Jack	Option	Option
Dual Pin Spring-Loaded Jack	Std	N/A
10 Ply Radial	Std	Std
3" Crossmembers on 16" Center	Std	Std
12" Center Crossmembers	Options	Option
I-Beam 12" 14#	Std	
I-Beam 12" 16# 27" and Up	Std	
I-Beam 10" 19# (On All Tandem Dually)	Std	Std
I-Beam Stem Same Size & Weight per Foot as Frame	Std	Std
Industrial Undercoating Between I Beam	Std	Std

Tandem Tandem Dually

Wood Capped w/Angel Iron Front/Back	Std	Std
Wood Capped w/Angel Iron on Sides	Option	Option
Spare Rim	Std	Std
Flushmount Lights	Std	Std
Mudflaps	Std	Std
Chain Box Underneath Deck Front	65" x 20" Std	45" x 20" Std
Chain Box in Stem	Option	Option
Chain Box in Stem with Lid	Option	Option
Stem Height	63"	64"
Deck Height	36"	37"
Pressure-Treated Wood (no splice) 24' & Under	Std	Std
Rumber Floor Tongue & Groove	Option	Option
Steel Floor	Option	Option
Stem Length Gooseneck	8' 7 1/8"	8' 7 1/8"
Pentle Hitch w/6" Tongue	Option	Option
Pentle Hitch w/8" Tongue	Option	Option
Stake Pockets	Std	Std
Rubrail w 2 1/2" x 5/16" Flat Iron	Std	Std
Loading Jacks	Std	Std
Elec. Brakes on all Wheels	Std	Std
2 5/16" Coupler 20,000# Rating	Std	Std
Break-Away Kit & Battery/Safety Chains & Hooks	Std	Std
4' Lift Up Dovetail w/5' Slide-In Ramps	Option	Option
5' Combo w/5' Stand-Up or Fold-Over Ramps	Option	Option
5' Clean-Out Beavertail w/5' x 17" Fold-Over Ramps	Option	Option
6' Wide Glide	Option	Option
6' Combo	Option	Option
30,000# 2 5/16" Coupler on All Trailers Rated over 24,000# GVW	Std	Std

Tilt-eez Flatbed

Easy loading for all your hauling needs



Hydraulic ground supports with auto lock coupler



Comes in 25' 28' 30' 32' 36' Lengths

Titan Tilt-EEZ Flatbed
Standard Features

5" Channel Rub Rail w/Stake Pockets & 5/16" Flat Iron
Solenoid Controlled 12V Hydraulic Tilt and Jack Assembly
10,000# General Duty Tandem Dually Oil Bath Axles

19# I Beam • Treated 2" x 8" Floor Boards • 2-5/16" Gooseneck Coupler • 7-Prong Heavy Cord Battery Box with Battery & Breakaway Switch • Reflective Tape on Trailers over 10,000# GVWR
Winch Plate and Battery Mount • Sealed Beam Recessed L.E.D. Lights • Electric Brakes on all 4 Wheels • 3" Channel Crossmembers on 16" Centers • Coated Inner Frame Under Floor Stem Made with Same I-Beam as Frame • Spare Wheel



25' Pentax Hitch
10K Tandem Dually



24' 10K Dually



16' Construction Utility
with Drive-Over fenders



24' Tandem



16' Construction Utility



24' Ruffneck 10K Dually



16' Skidsteer Utility
with optional Rubber Floor



24' Tandem Ruffneck



25' Tandem Dually with
Cleanout Beaver tail
2 Fold-Over Ramps



18' + 2' Gooseneck
construction Utility
Skidsteer Utility

Pictures may include optional equipment. Dimensions and weights are approximate and may vary slightly by model in this brochure. Titan Trailers reserves the right to make changes to trailers without notice.