

Utility Trailers

# TITAN

# Utility Trailers

For all your landscaping, construction and Agricultural needs.



Sold Exclusively Through Authorized Dealers:



# TITAN

# Titan Construction Utility



16' Construction UT  
shown with optional drive-over fenders

2' dovetail and load jacks



Gooseneck Utility



16' UT with optional steel floor  
drive-over fenders

## Construction Utility Trailer

Bumper Gooseneck

Double 5" Channel Frame/Length of Deck	Std.	Std.
3" Crossmembers on 16" Centers	Std.	Std.
2 5/16" Adjustable Coupler	Std.	Std.
Heavy Duty Spring Loaded Dual Pin Jack	Std.	Std.
Load Jacks at Rear	Std.	Std.
82" Wide Between Fenders	Std.	Std.
6000# Torsion w / 12' x 2" Brakes 8-Bolt 1/2" Studs	Std.	Std.
Electric Brakes on All 4 Wheels	Std.	Std.
6' Ramps Slide in or Stand Up	Std.	Std.
Break-Away Kit w/Battery Safety Chains & Locks	Std.	Std.
Stake Pockets	Std.	Std.
Deck Bumper Guard	Std.	Std.
L.E.D. Lights	Std.	Std.
Industrial Undercoating Underneath & Fender Wells	Std.	Std.
Spare Wheel	Std.	Std.
Pressure-Treated Wood Floor (no splices)	Std.	Std.
25" Deck Height	Std.	Std.
7000# Torsion w / 12" x 2" Brakes 8-Bolt 9/16" Studs	Option	Option
Spare Tire	Option	Option
Steel Floor	Option	Option
Drive-Over Fenders (102" wide deck)	Option	Option
2' Dovetail	Option	Option

# Titan Trailer Mfg Skidsteer Trailers

Landscaping • Small Excavating • Construction



Shown with optional Gooseneck and 2" x 8" Tongue and Groove, Rubber Composite Flooring.

## Skidsteer Trailer /w Rubber Floor

	Bumper	Gooseneck		Bumper	Gooseneck
2" x 5" x 1/4" Tubing Frame	Std.	Std.	Safety Chains Hooks and Battery	Std.	Std.
Torsion EZ Lube Axles	Std.	Std.	Diamond Plate Fender	Std.	Std.
Spare Wheel	Std.	Std.	83" Width Between Fender	Std.	Std.
Coated Interframe Under Floor	Std.	Std.	20" Load Height (est.)	Std.	Std.
5' Ramps w / Drop Leg	Std.	Std.	Heavy Duty Spring Loaded Dual Pin Kit	Std.	Std.
5" Channel (Middle Support)	Std.	Std.	Std. Deck Length 14', 16', 18', 20', 22'	Std.	Std.
L.E.D.	Std.	Std.	6000# Torsion w / 12 x 2" Brakes 8 Bolt 1/2" Studs	Std.	Std.
3" Channel Cross Members on 12" Centers	Std.	Std.	Rubber Tongue and Groove 2" x 8"	Option	Option
Electric Brakes on All 4 Wheels	Std.	Std.	Spare Tire	Option	Option
Stake Pockets w / Rub Rail	Std.	Std.	Slide In Ramps	Option	Option
2 5/16" Adjustable Coupler	Std.	Std.	7000# Torsion w / 12 x 2" Brakes 8 Bolt 9/16" Studs	Option	Option

[www.titantrailer.com](http://www.titantrailer.com)



16' x 4' Tilt Bed with Stationary Front

2-Way Cushion Cylinder



16' Tilt Deck Trailer

**Options**

- Goosneck
- Tie-Down Rings
- Stationary Valve
- 3500# Torsion
- Spare Tire



## Titan Tilt Deck

	83" x 16'	83" x 20'	83" x 4+16'
10 1/2# Per Ft 6" Channel Frame	Std.	Std.	Std.
7K Axles 9/16" Studs	Option	Std.	Std.
6K Axles 1/2" Studs	Std.	Option	Option
Stake Pockets	Std.	Std.	Std.
2 5/16" Adj Coupler	Std.	Std.	Std.
Channel Head Rack	Std.	Std.	Std.
White Mod Wheels	Std.	Std.	Std.
Tires LT225.85 R16	Std.	Std.	Std.
Flush Mount Lights	Std.	Std.	Std.
2 1/2" x 16" Cushion Cylinder	Std.	Std.	Std.
Lengths Includes Dovetail	Std.	Std.	Std.
3" Channel Cross Members	Std.	Std.	Std.
Elec Brakes All Wheel	Std.	Std.	Std.
Spare Wheel	Std.	Std.	Std.
12,500# Dual Pin Jack	Std.	Std.	Std.
Chain Box	Std.	Std.	Std.
Safety Chain Hooks & Battery	Std.	Std.	Std.
Tread Plate Fenders	Std.	Std.	Std.
2" x 8" Treated Floor	Std.	Std.	Std.
83" Between Fender	Std.	Std.	Std.
22 1/2 UP Axles	Std.	Std.	Std.
1 Coat Primer	Std.	Std.	Std.
2 Coats Urethane Paint	Std.	Std.	Std.