




A HIGHER STANDARD OF **QUALITY**

# STANDARD STOCK

— T R A I L E R S —



**SOLD EXCLUSIVELY** THROUGH AUTHORIZED DEALERS:




**[www.TitanTrailer.com](http://www.TitanTrailer.com)**



# GOOSENECK STANDARD

The **Titan Standard Stock**, our best-selling stock trailer has been the industry bench mark for years. With a vast array of standard features and available options to make it your own, it's easy to see why.

Order yours today! (866) 294-4514.



**Sliding Vents Under Nose**  
*Optional Feature*



**Sliding Center Gate**  
*Optional Feature*




**Aluminum Wheels**  
*Optional Feature*





# BUMPER HITCH STANDARD

Order yours today! (866) 294-4514.



**Double Tail Lights**  
*Optional Feature*



**Illuminated Titan Hat Nose Graphic**  
*Optional Feature*



**Elite Shield Gravel Guard**  
*Standard Feature*





# STANDARD STOCK COLORS & GRAPHICS



White



Silver



Black

*Additional Color Options Available*



Titan proudly uses PPG Paint and Dexter Axles.





BUMPER HITCH STANDARD **AVAILABLE LENGTHS**

Length	No. Center Gates	Axles	Est. Base Weight
10'	0	2 x 6000#	2980#
12'	0	2 x 6000#	3160#
14'	1	2 x 6000#	3340#
16'	1	2 x 6000#	3480#
18'	1	2 x 6000#	3800#
20'	1	2 x 6000#	3980#

GOOSENECK STANDARD **AVAILABLE LENGTHS**

Length	No. Center Gates	Axles	Est. Base Weight
10'	0	2 x 6000#	3140#
12'	0	2 x 6000#	3540#
14'	1	2 x 6000#	3840#
16'	1	2 x 6000#	4160#
18'	1	2 x 7000#	4520#
20'	1	2 x 7000#	4880#
22'	1	2 x 7000#	5280#
24'	2	2 x 7000#	5680#
26'	2	2 x 7000#	6060#
28'	2	2 x 7000#	6460#
30'	2	2 x 7000#	6800#
32'	2	2 x 7000#	7140#
34'	2	2 x 7000#	8180#
36'	2	2 x 7000#	8580#
38'	2	2 x 7000#	8980#
40'	2	2 x 7000#	9380#

STANDARD STOCK **STANDARD FEATURES**

Description	Bumper Hitch	Gooseneck
6'6" Inside Height	•	•
6'8" Wide	•	•
Slope Nose		•
Escape Door on Passenger Side	•	•
Crossmembers, Uprights & Roof Bows on 16" Centers (when applicable)	•	•
Fold Down Calf Gate in Nose		•
Extended Angle Iron Running Boards	•	•
3" x 5" Frame	•	•
7-Prong Heavy Cord	•	
7-Prong Cold Weather Cord		•
Plexiglas Track	•	•
12,500 lb Spring Loaded Dual Pin Jack		•
2000# Top wind A-Frame Jack	•	
Reflective Tape on Trailers over 10000# GVWR	•	•
Bolt-on Torsion EZ Lube Axles	•	•
8 Bolt Hubs with 9/16" Studs		•
Sealed Beam Recessed L.E.D. Lights	•	•
Spare Tire	•	•
Adjustable 2-5/16" Coupler	•	•
Undercoated Inner Fenderwells	•	•
Rubber Rear Bumper	•	•
Electric Brakes on all 4 Wheels	•	•
1 LED Dome Light per Compartment	•	•
Back Gate w/ Slatted 1/2 Slide, Slam Latch & Butterfly Latch	•	•
Spray on Gravel Guard	•	•
Breakaway Battery Box with Charger and Tester	•	•
Safety Transport Chains & Hooks	•	•



# STANDARD STOCK OPTIONAL FEATURES



BRUSH FENDERS



8000# TORSION EZ LUBE  
WITH 14 PLY RADIAL TIRES



STOCK COMBO OPTION



DOUBLE JACKS



AUTO LOCK COUPLER

Description	Bumper Hitch	Gooseneck
Height & Width Options		
7' Tall	•	•
7 1/2' Tall	•	•
8 1/2' Tall	•	•
9' Tall	•	•
7 1/2' Wide	•	•
8' Wide	•	•

Description	Bumper Hitch	Gooseneck
Lights & Trim		
Illuminated Titan Hat Nose Graphic	•	•
Illuminated Name Plate on Nose	•	•
Illuminated Lucent on Rear Header	•	•
Extra LED Dome Light	•	•
LED Porch Light	•	•
LED Back-Up Lights	•	•
Double Tail Lights	•	•
Extra Clearance Light	•	•
3 Lights in Nose	•	•
Top Clearance Lights at Rear	•	•
Mid-Mount LED Turn Signals (Per Pair)	•	•
LED High-Beam Loading Light	•	•
6 Prong Plug	•	•
7-Way Plug with Cold Weather Cord (Stays Flexible during Winter)	•	•
Semi Plug with Double Tail Lights	•	•
Wire Plug to Receiver Hitch	•	•
Extra Elite Shield (Line X Equivalent) Gravel Guard (Per Square Foot)	•	•

Description	Bumper Hitch	Gooseneck
Sides		
Classic Sides	•	•
Enclosed With Metal	•	•
Plexiglas	•	•
Steel Lined with Galvanneal (Classic Sides Only)	•	•
Other Than 54" Sides	•	•
Split Sides	•	•
Double Deck	•	•
Aluminum Tongue and Groove Decking for Double Deck Trailers	•	•
Split Escape Door	•	•
Bull Package (Cross Members, Uprights & Roof Bows on 12" Centers)	•	•
Cross Members only on 12" Centers	•	•
Uprights only on 12" Centers	•	•
Brush Fenders	•	•
Catwalk Running Boards	•	•

Description	Bumper Hitch	Gooseneck
Axles (Non-Standard Axles may increase lead time)		
Spring EZ Lube	•	•
Oil Bath Hub (Per Axle)	•	•
Surge Brakes	•	•
Single 7000# Torsion EZ Lube w/ 10 ply Tires	•	•
7000# Torsion EZ Lube	•	•
Triple 7000# Torsion EZ Lube	•	•
8000# Torsion EZ Lube with 14 ply Radial Tires	•	•
Triple 8000# Torsion EZ Lube with 14 ply Radial Tires	•	•
Electric over Hydraulic Brakes	•	•
Disc Brakes in Lieu of Drum Brakes on Electric over Hydraulic Axles	•	•





A HIGHER STANDARD OF **QUALITY**

Description	Bumper Hitch	Gooseneck
Doors, Windows, Vents, & Ramps		
Extra Escape Door	•	•
48" Wide Escape Door	•	•
54" Wide Escape Door	•	•
Extra Factory Steel Door	•	•
Screened Camper Door w/ Vertical Window (Will not work with a Swingout Saddle Rack)	•	•
Walk thru Door in Solid Wall	•	•
Tack Door in Nose (Left, Right, or Front)		•
Aluminum Fold Down Rear Ramp w/ Double Doors Above	•	•
Aluminum Fold Down Rear Ramp Behind Back Door(s)	•	•
4' Aluminum Side Ramp with Door Above	•	•
5' Aluminum Side Ramp with Door Above	•	•
6' Aluminum Side Ramp with Door Above	•	•
Sliding Vents Under Nose		•
Vent Package (Sliding Vents Under Nose & Tack Door In The Front)		•
2-Way Pop Up Roof Vent	•	•
Dome Style Roof Vent with 12V Fan	•	•
Dome Style Roof Vent Braced for AC	•	•
Mid Mount Drop Down Feed Door w/ Window and Drop Bars	•	•
16"x24" Vertical Window w/ Slide in Factory Steel Door	•	•
30"x30" Bus Window w/ Slide	•	•
12"x24" Bus Window w/ Slide	•	•
18"x44" Bus Window w/ Slide		•
18"x24" Bus Window w/ Slide	•	•
14"x34" Bus Window w/ Slide		•
Escape Window in Nose		•

Description	Bumper Hitch	Gooseneck
Aluminum Options		
Brushed Aluminum Fenders	•	•
Aluminum Tread Bright Fenders	•	•
Aluminum Hay Rack (5' x 8') and Aluminum Ladder	•	•
Aluminum Tread Bright Gravel Guard Package	•	•

Description	Bumper Hitch	Gooseneck
Compartments & Dividers		
Permanent Rear Tack w/ Double Back Doors	•	•
Collapsible Rear Tack	•	•
Mid-Tack Full Width Behind Dress Wall w/ Door	•	•
Mid-Tack in Corner of Dressing Room w/ Door	•	•
Stud Gate (not telescopic, Slant Center Gate)	•	•
Slant Divider	•	•
Hang Rubber Mat from Bottom of Divider	•	•
Divider Extension	•	•
Straight Load Feed Manger w/ Head Divider, 2 Feed Doors, 2 Tack Doors 2-1 Tier Saddle Rack	•	•
Straight Divider w/ Butt Bars, Breast Bar, Swinging Head Divider, and Removable Post	•	•
Solid Dressing Room Wall w/ Factory Steel Door & Sub-Floored	•	•
Swing Wall w/ Sides Enclosed to Front	•	•
Bi-Fold Swing Wall w/ Sides Enclosed to Front	•	•
Swing Wall w/ Sides Not Enclosed	•	•
Bi-Fold Swing Wall w/ Sides Not Enclosed	•	•

Description	Bumper Hitch	Gooseneck
Center Gate & Back Gate Options		
Upgrade to Sliding Center Gate from Standard Center Gate	•	•
Extra Center Gate	•	•
Extra Sliding Center Gate	•	•
Extra Gate Setting	•	•
Floating Center Gate (Set on 6" Adjustments - Will Latch Ahead of Escape Door)	•	•
Delete Center Gate	•	•
Split Nose Gate No Post		•
Split Nose Gate with Post		•
One Piece Slatted Back Gate	•	•
Back Gate Fully Enclosed With No Slide	•	•
Back Gate Fully Enclosed With 1/2 Slide	•	•
Double Back Doors w/ Cam Locks and Lockable Hasps	•	•
Slatted Double Back Doors w/ Cam Locks and Lockable Hasps	•	•
Anti-Sag Block on Center Gate in Open Position	•	•
Outside Center Gate Release to Shut Gate	•	•
Beef Up Center Gate with Extra Tubing	•	•
Beef Up Center Gate with Extra Tubing and Tube Post on Hinge Side	•	•
Drop/Prop Rod on 1/2 Slide Back Gate	•	•
Multi-Position Back Gate Lock (Locks Back Gate Open in Multiple Positions)	•	•

Description	Bumper Hitch	Gooseneck
Tires		
10 ply	•	
14 ply	•	•
215R17.5 H	•	•
Aluminum Wheels	•	•

Description	Bumper Hitch	Gooseneck
Jacks		
5K Topwind Jack (in Lieu of 2K) in A-Frame Coupler	•	
Double 12,000# Dual Pin Jacks	•	•
2 Speed Drop Leg Jack (Not Spring Loaded or Dual Pin)	•	•
Double 2 Speed Drop Leg Jack (Not Spring Loaded or Dual Pin)	•	•
Single Bulldog Velocity Series 12,000# Electric Jack (Includes Battery & Battery Tray)	•	•
Double Bulldog Velocity Series 12,000# Electric Jack (Independent Control, Includes Battery and Battery Tray)	•	•
Single Bigfoot Hydraulic Jack includes Battery, Battery Tray and Battery Box	•	•
Double Bigfoot Hydraulic Jack includes Battery, Battery Tray and Battery Box	•	•

Description	Bumper Hitch	Gooseneck
Flooring Options		
Sure Foot Flooring (Rubber Floor System - Self Draining)	•	•
Blackwood Rubber Infused Lumber	•	•
Rubber Composite Flooring (Includes 12" Cross Members)	•	•
Tread Rubber in Lieu of Wood (Per Foot)	•	•
Rubber Floor Mats	•	•



Description	Bumper Hitch	Gooseneck
<b>Dressing Room/Tack Room Options</b>		
Tack Organizer	•	•
Kick Mat on Slant Wall (Horse Side)	•	•
2 - Single Tier Slide out Saddle Racks (Straight Load Trailers Only)	•	•
3 Tier Saddle Rack	•	•
4 Tier Saddle Rack	•	•
To Make Saddle Rack Swing Out		•
Extra Saddle Rack Setting	•	•
Swingout Blanket Bar (6 Tier)	•	•
Removable Bridle Hook Bar (4 Bridle Hooks)	•	•
Extra Bridle Hook	•	•
Extra Tie Loop	•	•
Extra Brush Tray	•	•
Extra Blanket Bar	•	•
Water Tank	•	•
Straight Nose		•
Short Straight Nose (1/2 Nose)		•
Full Width Boot Box - Oak with Titan Logo	•	•
1/2 Boot Box - Oak with Titan Logo	•	•
Electrical Package - 30A Cord, Breaker Box and 1 Outlet	•	•
Additional Outlets	•	•
13,500 B.T.U. Air Conditioner includes 30A Cord and Breaker Box	•	•
15,000 B.T.U. Air Conditioner includes 30A Cord and Breaker Box	•	•
Carpet Package	•	•

Description	Bumper Hitch	Gooseneck
<b>Horse/Stock Area Options</b>		
Buggy Ramps	•	•
Corner Feed Bag	•	•
Padded Stall	•	•
Undercoat Inside Roof	•	•
Undercoat Underneath of Trailer	•	•
Undercoat Inside Walls 20" Up	•	•

Description	Bumper Hitch	Gooseneck
<b>Miscellaneous Options</b>		
Auto lock Coupler with Cable Release		•
Tie Rail On Side	•	•
Receiver Hitch	•	•
Camper Step	•	•
Panel Hooks	•	•
Skid Plate on Rear Bumper	•	•
Battery Tray	•	•
12 Volt Deep Cycle Battery	•	•
Aluminum Battery Box	•	•
Plastic Battery Box	•	•
Propane Tray	•	•
Awning	•	•
Block Axles up 2"	•	•
Extend Tongue 12"	•	
Plate/Beefed-Up Rear Corners - Standard on 24' and Above	•	•
EZ Jack Mounted Under Spare Tire	•	•
Fold Up Spare Tire Carrier		•