

CLASSIC STOCK

SOLD EXCLUSIVELY THROUGH AUTHORIZED DEALERS:





www.TitanTrailer.com



GOOSENECK CLASSIC

The Titan Gooseneck Classic Stock is our flagship steel stock trailer and built with long life in mind. The classic will withstand the toughest jobs and look great while doing it. Order yours today! (866) 294-4514.























7 Prong Cold Weather Cord w/ Junction Box Standard Feature



ASSATION / (E







BUMPER HITCH CLASSIC

The Bumper Hitch Classic is built stout, and highly customizable, with many of the same standard features of the Gooseneck. Order yours today! (866) 294-4514.











Outside Skin (Galvanneal) Standard Feature



Back Gate w/½ Slide, Slam Latch, and **Butterfly Latch**

Standard Feature



5000# Top Wind A-Frame Jack and Adjuster Coupler Optional Feature



7-Prong Heavy Cord and Junction Box Standard Feature





CLASSIC STOCK COLORS & GRAPHICS







Titan proudly uses PPG Paint and Dexter Axles.





Classic Name Graphics

Classic Graphics



Black



Blue

Classic

Bronze



Gold

Classic

Green

Classic

Purple

Classic

Red

Classic

Dark Red

Classic

Classic

White



Blue



Bronze



Gold



Green



Purple



Red



Dark Red



Silver



Colors are representational. Actual painted colors may vary.



BUMPER HITCH CLASSIC AVAILABLE LENGTHS

Length	No. Center Gates	Axles	Est. Base Weight
10′	0	2 x 6000#	3180#
12′	0	2 x 6000#	3400#
14′	1	2 x 6000#	3620#
16′	1	2 x 6000#	3800#
18′	1	2 x 6000#	4160#
20′	1	2 x 6000#	4360#

GOOSENECK CLASSIC AVAILABLE LENGTHS

Length	No. Center Gates	Axles	Est. Base Weight
10′	0	2 x 6000#	3340#
12'	0	2 x 6000#	3780#
14′	1	2 x 6000#	4120#
16′	1	2 x 6000#	4480#
18′	1	2 x 7000#	4880#
20′	1	2 x 7000#	5280#
22'	1	2 x 7000#	5720#
24'	2	2 x 7000#	6160#
26′	2	2 x 7000#	6580#
28′	2	2 x 7000#	7020#
30′	2	2 x 7000#	7400#
32'	2	2 x 7000#	7780#
34'	2	2 x 7000#	8180#
36′	2	2 x 7000#	8580#
38′	2	2 x 7000#	8980#
40'	2	2 x 7000#	9380#

CLASSIC STOCK STANDARD FEATURES

Description	Bumper Hitch	Gooseneck
Outside Skin Double Lined with Galvanneal Steel	•	•
6'6" Inside Height	•	•
6'8" Wide	•	•
Escape Door on Passenger Side	•	•
Torsion EZ Lube Axles	•	•
Electric Brakes on all 4 Wheels	•	•
8 Bolt Hubs with 5/8" Studs		•
Crossmembers, Uprights, & Roof Bows on 16" Centers (when applicable)	•	•
1 LED Dome Light per Compartment	•	•
Fold Down Calf Gate in Nose		•
Spring Loaded Dual Pin Jack		•
Extended Angle Iron Running Boards	•	•
2000# Top Wind A-Frame Jack	•	
Rubber Rear Bumper	•	•
Spare Tire	•	•
Back Gate w/ 1/2 Slide, Slam Latch, & Butterfly Latch	•	•
3" x 5" Frame	•	•
2-5/16" Coupler	•	
Adjustable 2-5/16" Coupler		•
Spray on Gravel Guard	•	•
Undercoat Inner Fenderwells	•	•
Sealed Beam Recessed LED Lights	•	•
Breakaway Battery Box with Charger and Tester	•	•
Battery Box & Breakaway Switch	•	
Reflective Tape on Trailers over 10000# GVWR	•	•
Safety Chains & Hooks		•
Illuminated Lucent on Rear Header	•	•
7-Prong Heavy Cord	•	
7-Prong Cold Weather Cord		•
Illuminated Titan Hat Nose Graphic	•	•
Slope Nose		•



CLASSIC STOCK OPTIONAL FEATURES











Description	Bumper Hitch	Gooseneck
Height & Width Options		
7' Tall	•	•
7 1/2' Tall	•	•
8 1/2' Tall	•	•
9' Tall	•	•
7 1/2' Wide	•	•
8' Wide	•	•

Description	Bumper Hitch	Goosenec
Lights & Trim		
Illuminated Name Plate on Nose	•	•
Extra LED Dome Light	•	•
LED Porch Light	•	•
LED Back-Up Lights	•	•
Double Tail Lights	•	•
Extra Clearance Light	•	•
3 Lights in Nose	•	•
Top Clearance Lights at Rear	•	•
Mid-Mount LED Turn Signals (Per Pair)	•	•
LED High-Beam Loading Light	•	•
6-Prong Plug	•	•
7-Way Plug with Cold Weather Cord (Stays Flexible during Winter)	•	
Semi Plug with Double Tail Lights	•	•
Wire Plug to Receiver Hitch	•	•
Elite Shield (Line X Equivalent) Gravel Guard	•	•

Description	Bumper Hitch	Gooseneck
Sides & Windows		
Enclosed With Metal	•	•
Other Than 54" Sides	•	•
Split Sides	•	•
Double Deck	•	•
Aluminum Tongue and Groove Decking for Double Deck Trailers	•	•
Split Escape Door	•	•
Bull Package (Cross Members, Uprights, & Roof Bows on 12" Centers)	•	•
Cross Members only on 12" Centers	•	•
Uprights only on 12" Centers	•	•
Brush Fenders	•	•
Catwalk Running Boards	•	•

Description	Bumper Hitch	Gooseneck	
Axles (Non-Standard Axles may increase lead time)			
Spring EZ Lube	•	•	
Oil Bath Hub (Per Axle)	•	•	
Surge Brakes	•		
Single 7000# Torsion EZ Lube w/ 10 ply Tires	•	•	
7000# Torsion EZ Lube	•	•	
Triple 7000# Torsion EZ Lube		•	
8000# Torsion EZ Lube with 14 ply Radial Tires		•	
Triple 8000# Torsion EZ Lube with 14 ply Radial Tires		•	
Electric over Hydraulic Brakes		•	
Disc Brakes in Lieu of Drum Brakes on Electric over Hydraulic Axles		•	



Description	Bumper Hitch	Gooseneck
Doors, Windows, Vents, & Ram	ps	
Extra Escape Door	•	•
48" Wide Escape Door	•	•
54" Wide Escape Door	•	•
Extra Factory Steel Door	•	•
Screened Camper Door w/ Vertical Window (Will not work with a Swingout Saddle Rack)	•	•
Walk thru Door in Solid Wall	•	•
Tack Door in Nose (Left, Right, or Front)		•
Aluminum Fold Down Rear Ramp w/ Double Doors Above	•	•
Aluminum Fold Down Rear Ramp Behind Back Door(s)	•	•
4' Aluminum Side Ramp with Door Above	•	•
5' Aluminum Side Ramp with Door Above	•	•
6' Aluminum Side Ramp with Door Above	•	•
Sliding Vents Under Nose		•
Vent Package (Sliding Vents Under Nose, & Tack Door In The Front)		•
2-Way Pop Up Roof Vent	•	•
Dome Style Roof Vent with 12V Fan	•	•
Dome Style Roof Vent Braced for AC	•	•
Mid-Mount Drop Down Feed Door w/ Window and Drop Bars	•	•
16" x 24" Vertical Window w/Slide in Factory Steel Door	•	•
30"x30" Bus Window w/ Slide	•	•
12" x 24" Bus Window w/ Slide	•	•
18" x 44" Bus Window w/ Slide		•
18" x 24" Bus Window w/ Slide		•
14"x34" Bus Window w/ Slide		•
Escape Window in Nose		•

Description	Bumper Hitch	Gooseneck
Aluminum Options		
Brushed Aluminum Fenders	•	•
Aluminum Tread Bright Fenders	•	•
Aluminum Hay Rack (5' x 8') and Aluminum Ladder		•
Aluminum Tread Bright Gravel Guard Package	•	•
Description	Bumper Hitch	Gooseneck
Compartments & Dividers		
Permanent Rear Tack w/ Double Back Doors	•	•
Collapsible Rear Tack	•	•
Mid-Tack Full Width Behind Dress Wall w/ Door	•	•
Mid-Tack in Corner of Dressing Room w/ Door	•	•
Feed Manger in Front of Slant Load per Horse (w/ 2 Outside Doors)	•	•
Extra Door for Manger (21" x 26")	•	•
Oversized Manger Door (34" x 34", Cannot go over fender)	•	•
Stud Gate (not telescopic, Slant Center Gate)	•	•
Slant Divider	•	•
Hang Rubber Mat from Bottom of Divider	•	•
Divider Extension	•	•
Straight Load Feed Manger w/ Head Divider, 2 Feed Doors, 2 Tack Doors, & 2-1 Tier Saddle Rack	•	•
Straight Divider w/ Butt Bars, Breast Bar, Swinging Head Divider, and Removable Post	•	•
Solid Dressing Room Wall w/ Factory Steel Door, & Sub-Floored	•	•
Swing Wall w/ Sides Enclosed to Front	•	•
Bi-Fold Swing Wall w/ Sides Enclosed to Front	•	•
Swing Wall w/ Sides Not Enclosed	•	•
Bi-Fold Swing Wall w/ Sides Not Enclosed	•	•

Description	Bumper Hitch	Gooseneck
Center Gate & Back Gate Option	ons	
Upgrade to Sliding Center Gate from Standard Center Gate	•	•
Extra Center Gate	•	•
Extra Sliding Center Gate	•	•
Extra Gate Setting	•	•
Floating Center Gate (Set on 6" Adjustments - Will Latch Ahead of Escape Door)	•	•
Delete Center Gate	•	•
Split Nose Gate No Post		•
Split Nose Gate with Post		•
One Piece Slatted Back Gate	•	•
Back Gate Fully Enclosed With No Slide	•	•
Back Gate Fully Enclosed With 1/2 Slide	•	•
Double Back Doors w/ Cam Locks and Lockable Hasps	•	•
Glatted Double Back Doors w/ Cam Locks and Lockable Hasps	•	•
Anti-Sag Block on Center Gate in Open Position	•	•
Outside Center Gate Release to Shut Gate	•	•
Beef Up Center Gate with Extra Tubing	•	•
Beef Up Center Gate with Extra Tubing and Tube Post on Hinge Side	•	•
Drop/Prop Rod on 1/2 Slide Back Gate	•	•
Multi-Position Back Gate Lock (Locks Back Gate Open in Multiple Positions)	•	•

Tires		
10 ply	•	
14 ply	•	•
215R17.5 H	•	•
Aluminum Wheels	•	•
Description	Bumper Hitch	Gooseneck
Jacks		
5K Topwind Jack (in Lieu of 2K) in A-Frame Coupler	•	
Double 12,000# Dual Pin Jacks	•	•
2 Speed Drop Leg Jack (Not Spring Loaded or Dual Pin)	•	•
Double 2 Speed Drop Leg Jack (Not Spring Loaded or Dual Pin)	•	•
Single Bulldog Velocity Series 12,000# Electric Jack (Includes Battery & Battery Tray)	•	•
Double Bulldog Velocity Series 12,000# Electric Jack (Independent Control, Includes Battery, and Battery Tray)	•	•
Electric Motor on Double 2 Speed Jacks - Low Gear Only on both Jacks (Includes Battery Tray and Battery)	•	•
Single Bigfoot Hydraulic Jack includes Battery, Battery Tray, and Battery Box	•	•
Double Bigfoot Hydraulic Jack includes Battery, Battery Tray, and Battery Box		•

Description	Bumper Hitch	Gooseneck
Flooring Options		
Sure Foot Flooring (Rubber Floor System - Self Draining)	•	•
Blackwood Rubber Infused Lumber	•	•
Rubber Composite Flooring (Includes 12" Cross Members)	•	•
Tread Rubber	•	•
Rubber Floor Mats	•	•



Description	Bumper Hitch	Gooseneck
Dressing Room/Tack Room Op	otions	
Tack Organizer	•	•
Kick Mat on Slant Wall (Horse Side)	•	•
Kick Mat on Sides	•	•
2 – Single Tier Slide out Saddle Racks (Straight Load Trailers Only)	•	•
3-Tier Saddle Rack	•	•
4-Tier Saddle Rack	•	•
To Make Saddle Rack Swing Out		•
Extra Saddle Rack Setting	•	•
Swingout Blanket Bar (6 Tier)	•	•
Removable Bridle Hook Bar (4 Bridle Hooks)	•	•
Extra Bridle Hook	•	•
Extra Tie Loop	•	•
Extra Brush Tray	•	•
Extra Blanket Bar	•	•
Water Tank	•	•
Straight Nose		•
Short Straight Nose (1/2 Nose)		•
Full Width Boot Box - Oak with Titan Logo	•	•
1/2 Boot Box - Oak with Titan Logo	•	•
Electrical Package - 30A Cord, Breaker Box, and 1 Outlet	•	•
Additional Outlets	•	•
13,500 B.T.U. Air Conditioner includes 30A Cord and Breaker Box	•	•
15,000 B.T.U. Air Conditioner includes 30A Cord and Breaker Box	•	•
Carpet Package	•	•

Description	Bumper Hitch	Gooseneck
Horse/Stock Area Options		
Buggy Ramps	•	•
Corner Feed Bag	•	•
Padded Stall	•	•
Undercoat Inside Roof	•	•
Undercoat Underneath of Trailer	•	•
Undercoat Inside Walls 20" Up	•	•

Description	Bumper Hitch	Gooseneck
Miscellaneous Options		
Auto lock Coupler with Cable Release		•
Tie Rail On Side	•	•
Receiver Hitch	•	•
Camper Step	•	•
Panel Hooks	•	•
Skid Plate on Rear Bumper	•	•
Battery Tray	•	•
12 Volt Deep Cycle Battery	•	•
Aluminum Battery Box	•	•
Plastic Battery Box	•	•
Propane Tray	•	•
Awning	•	•
Block Axles up 2"	•	•
Extend Tongue 12"	•	
Plate/Beefed-Up Rear Corners – Standard on 24' and Above	•	•
EZ Jack Mounted Under Spare Tire	•	•
Fold Up Spare Tire Carrier		•